Author Index Volume 30 (1993)

Adbel-Azim AAA: Excluded volume and hydrodynamic properties of polystyrene in non-ideal solvents 579
Aharoni SM: Synthesis of comb-like graft copolyamides with rigid aromatic main-chains and long flexible side-chains 149
Ahn TO, Eum HS, Jeong HM, Park JY: Miscibility of poly-(styrene-co-vinyl phenol) with poly(ε-caprolactone) 461
Ajayaghosh A see John G
Akahori Y see Katayama S
Asada T see Ute K
Asano T see Chujo Y
Auschra C, Stadler R: Thermal stability of poly(styrene-b-methyl methacrylate) and poly(styrene-b-ethylene-co-1-butene-b-methyl methacrylate). A gel permeation chromatographic study 305
Auschra C, Stadler R: Synthesis of block copolymers with poly(methyl methacrylate): P(B-b-MMA), P(EB-b-MMA), P(S-b-B-b-MMA) and P(S-b-EB-b-MMA) 257

Baever LG, Danielson ND: Reactivity of poly(chlorotrifluoroethylene) (PCTFE) oil and PCTFE derivatives with phenyllithium and phenyl Grignard reagents 47
Bantjes A see Dikland HG
Barros GG de see Ximenes MIN
Barton JM, Hamerton I, Thompson CP: A study of the polymerization behaviour of *N*-(4-phenoxy) phenylmaleimide using DSC analysis 521
Bascou P see Ramiandrasoa P
Bataille P see Sharifi-Sanjani N
Belt W see Loontjens T
Belt WJW see Loontjens TJA
Bessière JM, Boutevin B, Loubet O: Determination of kinetic parameters for isothermal decomposition of azo initiators of polymerization by differential scanning calorimetry 545
Betrabet C see Tamami B
Boiteux G, Dublineau P, Fève M, Mathieu C, Seytre G, Ulanski J: Dielectric and viscoelastic studies of curing epoxy-amine model systems 441
Bokaris EP see Tsitsilianis C
Bouchal K see Sedláková Z
Boutevin B, Hamoui B, Parisi JP: New diethyl phosphonoalkyl acrylates and their reactivity in copolymerization 243
Boutevin B see Bessière JM
Braun D, Hempler P: Chain transfer constants of some aliphatic agents in the polymerization of styrene and methylmethacrylate 55
Brochu S, Plesu R, Prud'homme RE, Spassky N, Le Borgne A: Determination of optical purity of substituted β-lactones 223
Brown PG, Fujimori K: Determination of the configuration of citraconic anhydride units in copolymers of *p*-chlorostyrene with citraconic anhydride via ^{13}C NMR spectroscopy 641
Brūzga P, Gražulevičius JV, Kavaliūnas R, Kublickas R, Liutviniene I: Polymerization of carbazolyl-containing epoxides with triphenylcarbenium salts 509
Bulacovschi V see Hurduc N
Bürgel T, Fedtke M, Franzke M: Reaction of cyclic carbonates with amines: linear telechelic oligomers 155
Bürgel T, Fedtke M: Epoxy resins with cyclic carbonate structures. Model studies for amine curing 61
Burke M, Young RJ, Stanford JL: The relationship between structure and properties in titanium dioxide filled polypropylene 361
Buruiana EC see Morariu S

Cameron JF see Fréchet JMJ
Cammas S see Ramiandrasoa P
Cantow HJ see Lill H
Carstensen B see Patil AO
Carter KR see Labadie JW
Chan WC: Solution properties of hexamethylene diisocyanate based polyurethane cationomers 705
Chatterjee SK, Johri S, Chhabra M: Thermodynamic parameters of some multicomponent intermacromolecular complexes in relation to their structure and composition 75
Chen Y, Yang D: Influence of ester group size in PMAs on β-phase crystallization of PVF_2 in highly oriented films of PVF_2/PMAs blends 655
Chen YJ, Li J, Hadjichristidis N, Mays JW: Mark-Houwink-Sakurada coefficients for conventional poly(methyl methacrylate) in tetrahydrofuran 575
Chhabra M see Chatterjee SK
Cho SH, Park JS, Lee WS, Chung IJ: Effect of heat treatment on structural changes and dynamic mechanical relaxation of polyacrylonitrile fibers 663
Choe CR see Lee KH
Choi SK see Choi WJ
Choi WJ, Lim KT, Kwon SK, Choi SK: Synthesis and characterization of ABA triblock copolymers of 2-hydroxyethyl methacrylate and *n*-butyl methacrylate by group transfer polymerization 401
Chu F, Hawker CJ: A versatile synthesis of isomeric hyperbranched polyetherketones 265
Chujo Y, Tomita I, Asano T, Saegusa T: Hydroboration of styryl-terminated polystyrene with bifunctional thexylborane 215
Chung CM see Fréchet JMJ
Chung IJ see Cho SH
Chung TC, Kumar A, Rhubright D: Supported BF_3 catalyst on crystalline polyolefins: carbocationic polymerization of isobutylene 385
Church SP, Khan N: Infrared dichroism of liquid crystalline terephthalate and biphenyldicarboxylate polyesters 559
Concha I see Rivas BL
Corona-Galvan S see Nuño-Donlucas S

Author Index Volume 30 (1993)

Adbel-Azim AAA: Excluded volume and hydrodynamic properties of polystyrene in non-ideal solvents 579
Aharoni SM: Synthesis of comb-like graft copolyamides with rigid aromatic main-chains and long flexible side-chains 149
Ahn TO, Eum HS, Jeong HM, Park JY: Miscibility of poly-(styrene-co-vinyl phenol) with poly(ε-caprolactone) 461
Ajayaghosh A see John G
Akahori Y see Katayama S
Asada T see Ute K
Asano T see Chujo Y
Auschra C, Stadler R: Thermal stability of poly(styrene-b-methyl methacrylate) and poly(styrene-b-ethylene-co-1-butene-b-methyl methacrylate). A gel permeation chromatographic study 305
Auschra C, Stadler R: Synthesis of block copolymers with poly(methyl methacrylate): P(B-b-MMA), P(EB-b-MMA), P(S-b-B-b-MMA) and P(S-b-EB-b-MMA) 257

Baever LG, Danielson ND: Reactivity of poly(chlorotrifluoroethylene) (PCTFE) oil and PCTFE derivatives with phenyllithium and phenyl Grignard reagents 47
Bantjes A see Dikland HG
Barros GG de see Ximenes MIN
Barton JM, Hamerton I, Thompson CP: A study of the polymerization behaviour of *N*-(4-phenoxy) phenylmaleimide using DSC analysis 521
Bascou P see Ramiandrasoa P
Bataille P see Sharifi-Sanjani N
Belt W see Loontjens T
Belt WJW see Loontjens TJA
Bessière JM, Boutevin B, Loubet O: Determination of kinetic parameters for isothermal decomposition of azo initiators of polymerization by differential scanning calorimetry 545
Betrabet C see Tamami B
Boiteux G, Dublineau P, Fève M, Mathieu C, Seytre G, Ulanski J: Dielectric and viscoelastic studies of curing epoxy-amine model systems 441
Bokaris EP see Tsitsilianis C
Bouchal K see Sedláková Z
Boutevin B, Hamoui B, Parisi JP: New diethyl phosphonoalkyl acrylates and their reactivity in copolymerization 243
Boutevin B see Bessière JM
Braun D, Hempler P: Chain transfer constants of some aliphatic agents in the polymerization of styrene and methylmethacrylate 55
Brochu S, Plesu R, Prud'homme RE, Spassky N, Le Borgne A: Determination of optical purity of substituted β-lactones 223
Brown PG, Fujimori K: Determination of the configuration of citraconic anhydride units in copolymers of *p*-chlorostyrene with citraconic anhydride via ^{13}C NMR spectroscopy 641
Brūzga P, Gražulevičius JV, Kavaliūnas R, Kublickas R, Liutviniene I: Polymerization of carbazolyl-containing epoxides with triphenylcarbenium salts 509
Bulacovschi V see Hurduc N
Bürgel T, Fedtke M, Franzke M: Reaction of cyclic carbonates with amines: linear telechelic oligomers 155
Bürgel T, Fedtke M: Epoxy resins with cyclic carbonate structures. Model studies for amine curing 61
Burke M, Young RJ, Stanford JL: The relationship between structure and properties in titanium dioxide filled polypropylene 361
Buruiana EC see Morariu S

Cameron JF see Fréchet JMJ
Cammas S see Ramiandrasoa P
Cantow HJ see Lill H
Carstensen B see Patil AO
Carter KR see Labadie JW
Chan WC: Solution properties of hexamethylene diisocyanate based polyurethane cationomers 705
Chatterjee SK, Johri S, Chhabra M: Thermodynamic parameters of some multicomponent intermacromolecular complexes in relation to their structure and composition 75
Chen Y, Yang D: Influence of ester group size in PMAs on β-phase crystallization of PVF_2 in highly oriented films of PVF_2/PMAs blends 655
Chen YJ, Li J, Hadjichristidis N, Mays JW: Mark-Houwink-Sakurada coefficients for conventional poly(methyl methacrylate) in tetrahydrofuran 575
Chhabra M see Chatterjee SK
Cho SH, Park JS, Lee WS, Chung IJ: Effect of heat treatment on structural changes and dynamic mechanical relaxation of polyacrylonitrile fibers 663
Choe CR see Lee KH
Choi SK see Choi WJ
Choi WJ, Lim KT, Kwon SK, Choi SK: Synthesis and characterization of ABA triblock copolymers of 2-hydroxyethyl methacrylate and *n*-butyl methacrylate by group transfer polymerization 401
Chu F, Hawker CJ: A versatile synthesis of isomeric hyperbranched polyetherketones 265
Chujo Y, Tomita I, Asano T, Saegusa T: Hydroboration of styryl-terminated polystyrene with bifunctional thexylborane 215
Chung CM see Fréchet JMJ
Chung IJ see Cho SH
Chung TC, Kumar A, Rhubright D: Supported BF_3 catalyst on crystalline polyolefins: carbocationic polymerization of isobutylene 385
Church SP, Khan N: Infrared dichroism of liquid crystalline terephthalate and biphenyldicarboxylate polyesters 559
Concha I see Rivas BL
Corona-Galvan S see Nuño-Donlucas S

Coutin B see Espartero JL
Coutinho FMB see Rabelo D
Coutinho FMB see Santos AM

Danielson ND see Baever LG
Dikland HG, Hulskotte RJM, Does L van der, Bantjes A: Interactions of various liquids with EPDM peroxide vulcanisates cured in the presence of coagents 477
Does L van der see Dikland HG
Dublineau P see Boiteux G

Endo T see Tomita I
Espartero JL, Coutin B, Sekiguchi H: Synthesis of a polyamide from L-aspartic acid and L-lysine 495
Eum HS see Ahn TO

Feast WJ see Tsibouklis J
Fedtke M see Bürgel T
Fedtke M see Bürgel T
Fève M see Boiteux G
Fink G see Marques MFV
Franzke M see Bürgel T
Fréchet JMJ, Cameron JF, Chung CM, Haque SA, Willson CG: Photogenerated base as catalyst for imidization reactions. A new design of photosensitive polymers 369
Friedrich C see Schlag S
Frisch KC see Loontjens TJA
Fujimori K see Brown PG

Garbassi F see Po R
Ghitti G see Marien J
Gilbert M, Herbert IR: NMR spectroscopic characterization of the microstructure of poly(dimethyl-7-oxabicyclo[2.2.1]hept-2-ene-*exo*,*exo*-5,6-dicarboxylate) 83
Girault JP see Ramiandrasoa P
Goh SH, Lee SY, Siow KS, Hong J: Miscibility of some phenoxy/polymethacrylate blends 691
Gola MM see Plummer CJG
Gomes AS see Silva A da
Goodall BL see Lubnin AV
Gražulevičius JV see Brūzga P
Guérin P see Ramiandrasoa P

Hadjichristidis N see Chen YJ
Hamerton I see Barton JM
Hammouda A see Ramiandrasoa P
Hamoui B see Boutevin B
Haque SA see Fréchet JMJ
Hara K see Tanizaki T
Hariharan R, Pinkus AG: Useful NMR solvent mixture for polyesters: trifluoroacetic acid-d/chloroform-d 91
Harris R see Tavares MIB
Hatada K see Ute K
Hawker CJ see Chu F
Hedrick JL see Labadie JW
Hedrick JL, Volksen W, Mohanty DK: Adhesion characteristics of imide-aryl ether ether ketone block copoymers with poly(ether-imide) 33
Heino MT, Seppälä JV: Studies on blends of a thermotropic liquid crystalline polymer and polybutylene terephthalate 353
Hempler P see Braun D
Herbert IR see Gilbert M
Higashimura T see Tamura K
Hocking PJ, Marchessault RH: Syndiotactic poly[(*R,S*)-β-hydroxybutyrate] isolated from methylaluminoxane-catalyzed polymerization 163
Hoffmann U, Klapper M, Müllen K: Phase-transfer catalyzed synthesis of poly(etherketone)s 481
Hong J see Goh SH
Hsiue GH, Wen JS, Hsu CS: Synthesis and characterization of liquid crystalline copolysiloxanes containing azobenzene dyes and 1,3-dioxane based mesogenic side groups 141
Hsu CC see Yang CB
Hsu CS see Hsiue GH
Hu DSG, Liu HJ: Effect of soft segment on degradation kinetics in polyethylene glycol/poly(L-lactide) block copolymers 669
Hulskotte RJM see Dikland HG
Hurduc N, Bulacovschi V, Surpateanu G: Phase transfer catalysts in the polycondensation processes. VIII. Internal rotational energies in polyesters obtained from 3,3-bis(chloromethyl)oxetane and dipotassium isophthalate 69

Igarashi T see Tomita I
Ilavský M see Sedláková Z
Ishii S see Kurita K

Jeong HM see Ahn TO
Jérôme R see Marien J
Jiang M, Zhou C, Zhang Z: Compatibilization in ionomer blends. 2.Coordinate complexation and proton transfer 455
Jiang M, Zhou C, Zhang Z: Compatibilization in ionomer blends. 1.Ionomers with identical charge 449
Jo SM, Lee WS, Lyu HS: The efficient synthesis of poly(silapropynylenes) via condensation of NaC≡CNa with $R^1R^2SiCl_2$ activated by pyridine 621
John G, Pillai CKS, Ajayaghosh A: Photoinduced graft copolymerization of methyl methacrylate onto cellulose containing benzoyl xanthate chromophore 415
Johnen N, Kobayashi S, Yagci Y, Schnabel W: Substituted vinyl bromides as Photoinitiators for cationic polymerizations 279
Johri S see Chatterjee SK
Jonsson H see Labadie JW

Kajiyama T see Tanizaki T
Kaler EW see Nuño-Donlucas S
Kanbara T see Saito N
Karger-Kocsis J see Varga J

Katayama S, Takagi C, Akahori Y: Discontinuous volume changes of sodium acrylate-acrylamide-*N,N*-methylenebisacrylamide copolymer gels in various solvent mixtures 333
Kausch HH see Plummer CJG
Kavaliūnas R see Brūzga P
Kennedy JP see Lubnin AV
Kenwright A see Tavares MIB
Khan N see Church SP
Khastgir D see Ray I
Kim HJ see Lee JS
Kim SY see Labadie JW
Kim YC see Lee KH
Klapper M see Hoffmann U
Kobayashi S see Johnen N
Kostromin SG see Tuan PA
Kublickas R see Brūzga P
Kumar A see Chung TC
Kurita K, Tomita K, Tada T, Nishimura SI, Ishii S: Reactivity characteristics of a new form of chitosan. Facile *N*-phthaloylation of chitosan prepared from squid β-chitin for effective solubilization 429
Kwon SK see Choi WJ

Labadie JW, Carter KR, Hedrick JL, Jonsson H, Kim SY, Twieg RJ: Cyclic ureas as solvents for poly(aryl ether) synthesis 25
Lacoudre N see Le Borgne A
Lath D see Lathová E
Lathová E, Lath D, Pavlinec J: The bahaviour of poly(2-ethylhexyl acrylate) in dilute solution: viscosity measurements 713
Le Borgne A see Brochu S
Le Borgne A, Trentin V, Lacoudre N, Spassky N: Liquid crystal crown ether derived from cyclic tetramer of epichlorohydrin 1
Lee DS see Lee JS
Lee JS, Kim HJ, Lee DS: Thermal property and miscibility of polycarbonate/copolyester blends 229
Lee KH, Park M, Kim YC, Choe CR: Crystallization behavior of polyphenylene sulfide (PPS) and PPS/carbon fiber composites: effect of cure 469
Lee SY see Goh SH
Lee WS see Cho SH
Lee WS see Jo SM
Leung LM, Yam CM: Polymer-supported copolymerization of poly(phenylene vinylene) 629
Li J see Chen YJ
Lill H, Rudolf B, Cantow HJ: PVT-studies on polymeric and oligomeric compounds. I.Linear diblock perfluoroalkyl alkanes 321
Lim KT see Choi WJ
Liu HJ see Hu DSG
Liutviniene I see Brūzga P
Loontjens T, Belt W, Stanssens D, Weerts P: Synthesis of 1,2-bis(2-oxazolinyl-2)ethane and its application as chain extender for poly(ethylene terephthalate) 13
Loontjens TJA, Scholtens BJR, Belt WJW, Frisch KC, Wong SW: Synthesis of α-hydroxy-ω-amino poly (ethylene oxide) and its use in reaction injection moulding (RIM) 489
Lopez H see Rivas BL
Loubet O see Bessière JM
Lovell PA, Stanford JL, Wang YF, Young RJ: Structure-property relationships in novel polydiacetylene-containing oligoester: polyolefin blends 347
Lubnin AV, Kennedy JP, Goodall BL: Synthesis and characterization of aldehyde-capped polyisobutylenes 19
Lundberg RD see Patil AO
Lyu HS see Jo SM

Machaeva EE, Starodubtzev SG: Reentrant conformational transition of polyelectrolyte network in water alcohol mixtures in the presence of oppositely charged surfactant 327
Marchessault RH see Hocking PJ
Marien J, Ghitti G, Jérôme R, Teyssié P: Potentiality of secondary ion mass spectrometry for chemical, micron-size imaging of multiphase polymer materials 435
Marques MFV, Fink G: Co- and terpolymerizations of α-olefins and dienes with MgH_2-supported Ziegler catalyst 377
Masuda T see Tamura K
Mathieu C see Boiteux G
Maturana HA see Rivas BL
Mays JW see Chen YJ
Merle G see Ruffier M
Mohanty DK see Hedrick JL
Monteiro EEC, Thaumaturgo C: Miscibility of PVC/EVA systems by viscometry 697
Monteiro EEC see Tavares MIB
Morariu S, Buruiana EC, Simionescu BC: Free-radical ring-opening polymerization of 2-(*o*-chlorophenyl)-4-methylene-1,3-dioxolane 7
Müllen K see Hoffmann U

Nabeshima Y see Ute K
Nakajima A see Oka M
Nishimura SI see Kurita K
Nishio A see Tomita I
Nuño-Donlucas S, Rhoton AI, Corona-Galvan S, Puig JE, Kaler EW: Emulsion copolymerization of styrene and sodium acrylate 207

Occhiello E see Po R
Oka M, Nakajima A: Conformational analysis of periodic polypeptides. I.Helical conformations of poly(gly-pro) 647
Otsu T see Yamada B

Parisi JP see Boutevin B
Park JS see Cho SH
Park JY see Ahn TO
Park M see Lee KH
Patil AO, Schriver GW, Carstensen B, Lundberg RD: Fullerene functionalized polymers 187
Pavlinec J see Lathová E
Peric IM see Rivas BL

Pillai CKS see John G
Pinkus AG see Hariharan R
Pizarro G del C see Rivas BL
Plessis JAK de see Vosloo HCM
Plesu R see Brochu S
Plummer CJG, Wu Y, Gola MM, Kausch HH: Impact tests on filled and unfilled thermotropic liquid crystalline polymer injection mouldings 587
Po R, Tampellini E, Occhiello E, Garbassi F: Fractionation of linear saturated (co)polyesters by differential precipitation 551
Pouzet S, Ricard A: Electrochemical formation of a copolymer of 3-methoxyethoxythiophene and thiophene 291
Prud'homme RE see Brochu S
Puig JE see Nuño-Donlucas S

Rabelo D, Coutinho FMB: Porous volume determination of styrene-divinylbenzene copolymers by water uptake measurements 725
Rahmani H see Sharifi-Sanjani N
Ramiandrasoa P, Guérin P, Girault JP, Bascou P, Hammouda A, Cammas S, Vert M: Poly(β-malic acid alkyl esters) derived from 4-alkyloxycarbonyl-2-oxetanones obtained via the ketene route 501
Ray I, Roy S, Khastgir D: Interaction between ethylene vinyl acetate copolymer and polyethylene 685
Reichert D, Schneider H: Interpretation of ^{2}H-NMR lineshapes of PEO 313
Rhoton AI see Nuño-Donlucas S
Rhubright D see Chung TC
Ricard A see Pouzet S
Richards RW see Tsibouklis J
Richardson PH see Tsibouklis J
Rieger J: From rigid rod to random walk. Some exact results 617
Rivas BL, Concha I: Copolymerization without initiator of 1-(2-hydroxyethyl)aziridine and acrylamide 191
Rivas BL, Maturana HA, Peric IM, Lopez H: Preparation and uranyl sorption of extractant resin containing ammonium groups 633
Rivas BL, Pizarro G del C: Copolymerization via zwitterion of 2-ethyl-2-oxazoline with β-methylhydrogenitaconate 515
Rösch J see Schlag S
Roy S see Ray I
Rudolf B see Lill H
Ruffier M, Vincent N, Merle G: Fractal characterization of the fissures occurring during polymerization of low-profile unsaturated polyester resins 111

Saegusa T see Chujo Y
Saito N, Kanbara T, Sato T, Yamamoto T: Chemical and electrochemical preparation of poly(9,10-dihydrophenanthrene-2.7-diyl) using nickel complexes and electrochemical properties of the polymer 285
Santos AM, Coutinho FMB: Effect of emulsifiers on emulsion copolymerization of styrene and *n*-butyl acrylate 407
Sargeant SJ, Tapsak MA, Weber WP: Bulk anionic ring opening polymerization of silacyclopent-3-enes 127
Sato T see Saito N
Schlag S, Rösch J, Friedrich C: Creep measurements on "in situ" compatibilized polypropylene/polyamide-6 blends 603
Schnabel W see Johnen N
Schneider H see Reichert D
Scholtens BJR see Loontjens TJA
Schönherr H, Snétivy D, Vancso GJ: A nanoscopic view at the spherulitic morphology of isotactic polypropylene by atomic force microscopy 567
Schriver GW see Patil AO
Sedláková Z, Bouchal K, Ilavský M: Phase transition in swollen gels. 18.Effect of concentration of the crosslinker with a positive charge on the collapse of polyacrylamide networks 339
Sekiguchi H see Espartero JL
Seppälä JV see Heino MT
Serra OA see Ximenes MIN
Seytre G see Boiteux G
Sharifi-Sanjani N, Bataille P, Rahmani H: Copolymerization of butyl acrylate with styrene in presence of $ZnCl_2$ 199
Shibaev VP see Tuan PA
Silva A da, Gomes AS, Soares BG: Cationic polymerization in iodine/liquid sulfur dioxide system. III. Investigation about elementary steps in α-methylstyrene polymerization 133
Simionescu BC see Morariu S
Siow KS see Goh SH
Snétivy D see Schönherr H
Soares BG see Silva A da
Spassky N see Brochu S
Spassky N see Le Borgne A
Stadler R see Auschra C
Stanford JL see Burke M
Stanford JL see Lovell PA
Stanssens D see Loontjens T
Starodubtzev SG see Machaeva EE
Surpateanu G see Hurduc N

Tada T see Kurita K
Tagashira S see Yamada B
Takagi C see Katayama S
Takahara A see Tanizaki T
Tamami B, Betrabet C, Wilkes GL: Synthesis and application of abrasion resistant coating materials based on functionalized bis and tris maleimides 393
Tamami B, Betrabet C, Wilkes GL: New ceramer high optical abrasion resistant transparent coating materials based on functional melamine and a tris(*m*-aminophenyl)phosphine oxide compound 39
Tampellini E see Po R
Tamura K, Masuda T, Higashimura T: Polymerization of substituted acetylenes by (mesitylene)M(CO)$_3$ (M=W,Mo) 537
Tanizaki T, Hara K, Takahara A, Kajiyama T: Effect of side chain structure on aggregation state and mechanical properties of synthetic polypeptide monolayers at the air-water interface 119

Tapsak MA see Sargeant SJ
Tavares MIB, Monteiro EEC, Kenwright A, Harris R: Interactions between PVC and solvents by longitudinal nuclear relaxation times 677
Teyssié P see Marien J
Thaumaturgo C see Monteiro EEC
Thompson CP see Barton JM
Tomita I, Nishio A, Igarashi T, Endo T: Synthesis of novel organometallic polymers having metallacyclopentadiene moieties in the main chain by the reaction of diynes with (η^5-cyclopentadienyl)-bis(triphenylphosphine)cobalt complex 179
Tomita I see Chujo Y
Tomita K see Kurita K
Trentin V see Le Borgne A
Tsibouklis J, Richardson PH, Richards RW, Feast WJ: Thermo-optic observations on a main-chain thermotropic liquid-crystal polymer 595
Tsitsilianis C, Bokaris EP: Enthalpy relaxation studies in isotactic polystyrene. Effects of crystallinity 609
Tsubokawa N, Yoshihara T: Grafting of polyesters onto carbon whisker surface. Cationic ring-opening polymerization of lactones initiated by acylium perchlorate groups introduced onto the surface 421
Tuan PA, Kostromin SG, Shibaev VP: Synthesis and polymerization of liquid crystalline α-oxiranes containing 4-cyanobiphenyl and *p*-methoxyphenyl benzoate mesogenic groups 249
Turcsányi B: Kinetics of initiation in reactive processing: Nonisothermal decomposition of initiators 297
Twieg RJ see Labadie JW

Ulanski J see Boiteux G
Ute K, Asada T, Nabeshima Y, Hatada K: Stereospecific synthesis of ditactic polymers. Polymerizations of *t*-butyl crotonate and *t*-butyl isocrotonate with *t*-butylmagnesium bromide and *t*-butyllithium-trialkylaluminum and analysis of stereostructures of the polymers and oligomers 171

Vancso GJ see Schönherr H
Varga J, Karger-Kocsis J: Direct evidence of row-nucleated cylindritic crystallization in glass fiber-reinforced polypropylene composites 105
Vert M see Ramiandrasoa P
Vincent N see Ruffier M
Volksen W see Hedrick JL
Vosloo HCM, Plessis JAK de: Polymerization of phenylacetylene catalyzed by $Mo(CO)_6$ 273

Wang YF see Lovell PA
Weber WP see Sargeant SJ
Weerts P see Loontjens T
Wen JS see Hsiue GH
Wilkes GL see Tamami B
Willson CG see Fréchet JMJ
Wong SW see Loontjens TJA
Wu Y see Plummer CJG

Ximenes MIN, Serra OA, Barros GG de: A fluorescence study of UO_2^{2+} ion exchange in the modified matrix: polyethylene/poly(acrylic acid) 97
Xu MX, Zhang WH: pH-Sensitivity of swelling of polyurethane crosslinked polyacrylate network 719

Yagci Y see Johnen N
Yam CM see Leung LM
Yamada B, Tagashira S, Otsu T: Radical polymerization of fluoroalkyl 2-fluoroalkoxy methacrylate to new type of fluorine containing polymer 235
Yamamoto T see Saito N
Yang CB, Hsu CC: Effects of external Lewis base on the performance of $MgCl_2$ supported catalysts in propylene polymerization 529
Yang D see Chen Y
Yoshihara T see Tsubokawa N
Young RJ see Burke M
Young RJ see Lovell PA

Zhang WH see Xu MX
Zhang Z see Jiang M
Zhou C see Jiang M

Indexed in *Current Contents*

Subject Index Volume 30 (1993)

ABA triblock copolymers 401
Abrasion resistance 393
- -, coating, high optical 39
- -, optical 39
Acetylenes, substituted 537
Acrylamide/*N,N*-methylenebisacrylamide 333
-, copolymers 339
-, electrophilic monomer 191
Acrylates, alternate copolymers 199
- copolymer, pentacomponent 719
Acylium perchlorate 421
AFM 567
Air-water interface 119
Aliphatic ketones/PVC 677
4-(Alkanyloxyphenylazo)benzonitrile 141
Alkyl lithium reagents 47
N-Alkyl(4-*N',N'*-dialkylamino)pyridium chloride 481
4-Alkyloxycarbonyl-2-oxetanones 501
Amic acid 369
Amic ester 369
Amine curing 61
Amines, photogeneration 369
α-Amino acids 495
L-Aspartic acid 495
Atomic force microscopy (AFM) 567
Azo initiators, isothermal decomposition 545
Azobenzene dyes 141
Azobisisobutyronitrile 713

Benzoin methyl ether 7
Benzoyl xanthate chromophore 415
BF_3 catalyst, crystalline polyolefins 385
Biodegradability 163, 495
Biopolymer 429
Biphenyldicarboxylate polyesters 559
Bis(2-chloroethyl)vinyl phosphonate 243
1,2-Bis(2-oxazolinyl-2)ethane 13
1,4-Bis(4-chlorobenzoyl)benzene 481
1,4-Bis(4-fluorobenzoyl)benzene 481
3,3-Bis(chloromethyl) oxetane 69
4,4'-Bis(phenylethynyl)biphenyl 179
Bismaleimides 393, 521
Bisphenol-A polycarbonate 229, 393
Buckminsterfullerene 187
Buckyballs 187
1,4-Butanedioldiglycidyl ether 279
Butyl acrylate/styrene/$ZnCl_2$ 199
t-Butyl crotonate 171
t-Butyl isocrotonate 171
n-Butyl malolactonate 501
n-Butyl methacrylate 401
t-Butyllithium-trialkylaluminum 171
t-Butylmagnesium bromide 171
n-Butylvinyl ether 279
β-Butyrolactone 163

ε-Caprolactone 669
Carbamates, 2-nitrobenzyl 369
Carbon dioxide, epoxy resins 61,155
Carbon fiber/PPS 469
Carbon-metal bonds 179
Carbon whisker surface 421
Carbonates, cyclic 61
-, -, amines 155
Catalyst, metathesis 273
-, recycling 385
Cationomers, hexamethylene diisocyanate 705
Cellulose, *S*-benzoyl cellulose xanthate 415
Ceramic char 621
Ceramics, impregnating agents 621
Chain extender 13
- transfer constants 55
β-Chitin, squid/shrimp 429
Chitosan, *N*-phthaloylation 429
1-Chloro-1-octyne 537
1-Chloro-2-phenylacetylene 537
2-(*o*-Chlorophenyl)-4-methylene-1,3-dioxolane 7
p-Chlorostyrene/citraconic anhydride 641
Chromophore, 2-nitrobenzyl 369
Chromophore, benzoyl xanthate 415
Citraconic anhydride/*p*-chlorostyrene 641
Cobaltacyclopentadiene 179
Collapse, polyacrylamide networks 339
Compatibilization 449, 455
-, polypropylene/polyamide-6 blends 603
Compatibilizers, block copolymer 257
Composites, molecular 149
Conductivity 629
Conformational statistics 617
Copolyamides, comb-like graft 149
Copolyester/polycarbonate 229
Copolyesters, linear saturated 551
-, terephthalate/biphenyldicarboxylate 559
Copolysiloxanes, liquid crystalline 141
Crotonates, branched alkyl 171
Crown ether, liquid crystal 1
Crystallinity, isotactic polystyrene 609
4-Cyanobiphenyl benzoates 249
Cyclohexane dimethanol 229
Cyclohexene oxide 279
η^5-Cyclopentadienyl)-bis(triphenylphosphine)cobalt complex 179
Cyclotriphosphazenes 1

Dehalogenation polycondensation 285
Di-lithium salts 621
Diacetylene-containing oligoester 347
Diacyl monomer 481
Diamines,photogeneration 369
2,7-Dibromo-9,10-dihydrophenanthrene 285
α,α'-Dichloro-*p*-xylene, phenyl ring di-substituted 629
α,α'-Dichloromethyl methyl ether (DCME) 215
Dichlorosilanes 621
Diester phosphonoalkyl acrylate 243
Diethyl ketone 677
- phosphonoalkyl acrylates 243
Dihalosilanes 621
Dimethyl-3,4,5,6-tetrahydro-2(1H)-pyrimidinone 25
N,N-Dimethylpropylene urea (DMPU) 25
Dioxolane 7

Diphenolates 481
Dipotassium isophthalate 69
Ditactic polymers 171
Divinylbenzene/styrene, porous volume 725
Diynes 179
DMPU 25
DSC 669
-, maleimides 521
Dye side groups 141

Electrochromism 285
Electropolymerization 291
Emulsification 407
-, styrene/sodium acrylate 207
Emulsion copolymerization 207, 407
Enthalpy relaxation, isotactic polystyrene 609
EPDM peroxide vulcanisates 477
Epichlorohydrin 1
Epoxides, carbazolyl-containing 509
Epoxy resins, carbon dioxide 155
- -, cyclic carbonate 61
1,2-Epoxy-6-(9-carbazolyl)-4-oxahexane 509
Epoxy-amine curing 441
9-(2,3-Epoxypropyl)carbazole 509
Ethanolamine 13
2-Ethyl-2-oxazoline 515
Ethylene/propylene/diene terpolymerization 377
-, terpolymerization 377
Ethylene vinyl acetate/polyethylene 685
Ethylenes, 1,1-disubstituted 235
EVA/PVC, miscibility 697
Excluded volume, polystyrene 579
Extractant resin 633

Fibers, reinforcing 105
Flame retardants, phosphorus compounds 243
Fluorine containing polymer 235
Fluoroalkyl 2-fluoroalkoxy methacrylate 235
Fluorocarbon polymers 47
Fractal characterization 111
Fullerene, functionalized polymers 187

Gels, swollen, phase transition 339
Glass fiber-reinforced polypropylene 105
Glycolic acid 669
Graft copolymerization, photo-induced 415
Graft-copolymers 149

Hexafluoroisopropanol 91
Hexamethylene diisocyanate 705
Homopolymer/copolymer blends 685
Hydroboration 215
α-Hydroxy-ω-amino poly(ethylene oxide) 489
Hydroxybenzoic acid/hydroxynaphthoic acid 587
2-Hydroxyethyl methacrylate 401
2-Hydroxyethyl phthalimide 489
1-(2-Hydroxyethyl)aziridine/acrylamide 191
Hydroxynaphthoic acid 587

Imide-aryl ether ether ketone block copoymers 33
Imidization 33
-, catalysts 369
Inifer technique 19
Initiators, azo, thermal decomposition 545
-, nonisothermal decomposition 297
Injection mouldings, thermotropic liquid crystalline 587
Intermacromolecular complexes, multicomponent 75
Iodine/liquid sulfur dioxide, cationic polymerization 133
Ion mass spectrometry, secondary 435
Ionomers 207
-, blends, compatibilization 449, 455
-, hexamethylene diisocyanate 705
-, solution properties 705
Isobutylene, carbocationic polymerization 385
Isocyanates, viscosity 489
Isophthalate, dipotassium 69

Ketene, cycloaddition 501

L-Lactic acid 669
DL-Lactide 223
Lactones, cationic ring-opening polymerization 421
-, substituted, optical purity 223
Langmuir-Blodgett films 119
Latex morphology 407
LCP, macrocyclic 1
-, main-chain 69, 595
-, thermotropic 353, 595
Lewis bases, external 529
Lithium fluoride 47
L-Lysine 495

Maleimides 393
-, monofunctional, thermal cure 521
MAO 163
Mark-Houwink-Sakurada coefficient 575
Melamine 39
(Mesitylene)W(CO)$_3$ 537
Metallacyclopentadiene 179
Methacrylates, alternate copolymers 199
Methacrylic acid/acrylamide 75
[3-(Methacryloyl amino)propyl] trimethyl ammonium chloride 633
3-Methoxyethoxythiophene/thiophene 291
p-Methoxyphenyl benzoate, α-oxiranes 249
3-Methoxythiophene 291
Methyl 2-hydroxymethylacrylate 235
Methyl propyl ketone 677
Methylaluminoxane-catalyzed polymerization 163
N,N-Methylene-bis-acrylamide 333
N,N-Methylene-bis-methacrylamide 633
β-Methylhydrogenitaconate 515
Methylmethacrylate 235
-, photo-induced graft copolymerization 415
- /styrene,chain transfer constants 55
α-Methylstyrene diiodide 133
$MgCl_2$ supported catalysts 529
Microdielectrometry 441
Mo(CO)$_6$ 273
Molybdenum catalytic system 273
Mouldings, thermotropic liquid crystalline 587

NaC≡CNa 621
Networks, charged 327
Nickel complexes, zero-valent 285
2-Nitrobenzyl carbamates 369
NMR relaxation times, PVC/aliphatic ketones 677
- solvents, polyesters 91
Nonlinear optics 595

Octakis(3-*O*-butyryl-2,6-di-*O*-pentyl)-γ-cyclodextrin 223
α-Olefins/dienes, terpolymerization 377
Oligoester, polydiacetylene-containing 347
Optics, nonlinear 595
Organoboron polymers 215
Organolithium bromide 47
Organometallic polymers 179
Oxazolines 13
Oxiranes 279
-, LC 249

P(B-b-MMA) 257
P(EB-b-MMA) 257
P(S-b-B-b-MMA) 257
P(S-b-EB-b-MMA) 257, 305
PAN, relaxation 663
PBMA 655
PBT 353
PCTFE 47
PEG 669
PEMA 655
Pentachlorophenyl ester 495
PEO, ^{2}H-NMR lineshapes 313
Perfluoroalkyl alkanes, linear diblock 321
Perfluorododecylhexadecane 321
Perfluorododecyloctane 321
PET 91
Phase transition, first-order 339
PHB 163
Phenoxide anion 25
Phenoxy/polymethacrylate, miscibility 691
N-(4-Phenoxy)-phenylmaleimide 521
4-Phenoxymethyl-1,3-dioxolan-2-one 61
Phenylacetylene 537
-, $Mo(CO)_6$ 273
N,N'(1,4-Phenylenedimethylene)bis(2-acrylamidoethyldimethylammonium chloride) 339
Phosphonoalkyl acrylate, diethyl 243
Phosphorus compounds, flame retardants 243
Photo-induced graft copolymerization 415
Photogeneration, active species 369
Photoinitiators, cationic polymerizations 279
N-Phthaloylation 429
PIB, aldehyde-capped 19
PMA, ester group size 655
PMMA 257, 305, 575, 655
Poly(acrylic acid)/polyethylene 97
Poly(amic alkyl ester) 33
Poly(aryl ether), cyclic ureas 25
Poly-L-aspartic acid 495
Poly(butadiene-b-methyl methacrylate) 257
Poly(1-butene) 385
Poly(butyl methacrylate-co-methacrylic acid) 449
Poly(butyl methacrylate-co-4-vinylpyridine) 455
Poly(ε-caprolactone) 461, 669
Poly(chlorotrifluoroethylene) 47
Poly(9,10-dihydrophenanthrene-2,7-diyl) 285
Poly(dimethyl-7-oxabicyclo[2.2.1]hept-2-ene-*exo,exo*-5,6-dicarboxylate) 83
Poly(dipeptide)s, periodic 647
Poly(etherimide) 33
Poly(etherketone)s 481
Poly(ethyl methacrylate), phenoxy, miscibility 691
Poly(2-ethylhexyl acrylate) 713
Poly[ethylene-co-(vinyl acetate)] 347
Poly(ethylene imine) 75
Poly(ethylene naphthalene-2,6-dicarboxylate) 551
Poly(ethylene oxide), ^{2}H-NMR lineshapes 313
Poly(ethylene terephthalate) 551
- , chain extender 13
Poly-L-glutamic acid 495
Poly(gly-pro) 647
Poly(HEMA) 401
Poly(γ-*n*-hexyl-L-glutamate) 119
Poly[(*R,S*)-β-hydroxybutyrate], syndiotactic 163
Poly(hydroxyether of bisphenol-A) (= phenoxy) 691
Poly(L-lactide) 669
Poly-L-lysine 495
Poly(β-malic acid alkyl esters) 501
Poly(methacrylic acid) 75
Poly(γ-methyl-L-glutamate) 119
Poly(methyl methacrylate) 257, 435
-, Mark-Houwink-Sakurada coefficient 575
-, phenoxy, miscibility 691
Poly{methyl methacrylate-b-(2-perfluorohexyl-ethyl)acrylate} 435
Poly(*p*-phenylene) 285
Poly(phenylene vinylene) 629
Poly(2-phenyl-1,4-phenylene-4,4'-biphenyldicarboxylate) 559
Poly(2-phenyl-1,4-phenylene terephthalte) 559
Poly[1-sila-*cis*-pent-3-enes] 127
Poly(silapropynylenes) 621
Poly(styrene-b-ethylene-co-1-butene-b-methyl methacrylate) 305
Poly(styrene-b-methyl methacrylate) 305
Poly(styrene-co-methacrylic acid) 449
Poly(styrene-co-sodium acrylate) 207
Poly(styrene-co-vinyl phenol) 461
Poly(styrene-co-4-vinylpyridine) 455
Poly(tetrahydrofurfuryl methacrylate) 691
Poly(vinyl chloride)/poly(ethylene-co-vinyl acetate) 691
Poly(vinyl pyrrolidone) 75
Poly(vinylene fluoride) 655
Polyacrylamide networks, collapse 339
Polyacrylate/polyurethane 719
-, swelling behavior 719
Polyacrylonitrile fibers, relaxation 663
Polyalkanoates 223
Polyamide, L-aspartic acid/L-lysine 495
- chains, stiff 149
Polyamide-6/polypropylene 603
Polyamides, stiff-chain 149
Polybutylene terephthalate (PBT) 353
Polycarbonate/copolyester blends 229
Polycondensation, phase transfer catalysis 69
Polydiacetylene-containing phase 347
Polyelectrolytes 191, 705
- network, reentrant conformational transition 327
Polyesters, aliphatic 669
-, biphenyldicarboxylate 559
-, grafting 421
-, internal rotational energies 69

-, linear 223
-, linear saturated 551
-, NMR solvent mixture 91
-, resins, low-profile unsaturated 111
Polyetherketones, hyperbranched 265
Polyethylene/ethylene vinyl acetate 685
- /poly(acrylic acid) 97
Polyethylene glycol/poly(L-lactide) 669
Polyglycolide 91
Polyimides 33
Polyisobutylenes, aldehyde-capped 19
Polymethacrylates, ester group size 655
Polyolefin blends 347
-, crystalline 385
-, $MgCl_2$ supported catalysts 529
-, TiO_2 361
Polypeptides, monolayers, synthetic 119
-, periodic 647
Polyphenylene sulfide (PPS) 469
Polypropylene 385
-, composites, glass fiber-reinforced 105
-, isotactic, spherulitic morphology 567
- /polyamide-6 blends 603
-, titanium dioxide filled 361
Polysiloxanes, side-chain liquid crystalline 141
Polystyrene, isotactic, enthalpy relaxation 609
-, non-ideal solvents 579
- /PCL, miscibility 461
-, resins, chloromethylated 629
-, styryl-terminated 215
Polytrifluoroethylene 47
Polyurethane cationomers 705
- /polyacrylate 719
-, reaction injection moulding 489
Polyvinylacetate 111
Porosity, styrene/divinylbenzene 725
PPS/carbon fiber composites 469
β-Propiolactones 223
Propylene, external Lewis bases 529
-, $MgCl_2$ supported catalysts 529
-, terpolymerization 377
PVC/EVA, miscibility 697
-, longitudinal nuclear relaxation times 677
PVF_2/PMA 655
PVT studies 321
Pycnometry 725

$R^1R^2SiCl_2$ 621
Random walk/rigid rod 617
Reaction injection moulding (RIM) 489
Reactive processing, kinetics 297
Reentrant conformational transition 327
Relaxation, enthalpy 609
Resin, extractant 633
Rigid rod/random walk 617
Ring-opening metathesis polymerization 83
Ring-opening polymerization, bulk anionic 127

Silacyclopent-3-enes 127
Sodium acrylate 207
- /acrylamide/*N,N*-methylenebisacrylamide 333
Sodium 4-cyano-4'-biphenoxide 1
Sodium methacrylate-acrylamide 327
Sol-gel method 393
Squid pens, β-chitin 429
Stereoregular polymers 83
Styrene/butyl acrylate 199
- / -, copolymerization 407
- /divinylbenzene, porous volume 725
- /methylmethacrylate, chain transfer constants 55
- /sodium acrylate, emulsification 207
Sulfur dioxide, liquid 133
Superstructure, transcrystalline-like 105

Telechelic oligomers, linear 155
Terephthalate, liquid crystalline 559
Thermoplastics 481, 489
Thexylborane 215
Thiophene 291
Titanium dioxide 361
Transcrystallinity 105
Transparent organic polymers 39
Trialkylborane 215
Triallylcyanurate 477
4-Trichloroethyloxycarbonyl 2-oxetanone 501
Triethoxysilane 39
Trifluoroacetic acid-d/chloroform-d 91
Triphenyl sulfonium hexafluorophosphate 279
Triphenylcarbenium salts 509
Tris(*m*-aminophenyl)phosphine oxide 39
Trismaleimides 393

Uranium, recovery 633
Uranyl chloride 97
- ion exchange 97
- sorption 633
Urea, cyclic (DMPU) 25

Vinyl bromides, substituted 279
Vinyl ethers 279
Viscoelasticimetry 441
Viscometry, PVC/EVA 697
Vitrification 441
Vulcanisations, EPDM 477

Water/alcohol mixtures 327

Zwitterion, genetic 515